

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	· ATTORNEY DOCKET NO.	CONFIRMATION NO
09/700,951	11/21/2000	Mikko Huttunen	274039	4662
75	590 06/10/2005		EXAM	INER
Pillsbury, Winthrop LLP 1600 Tysons Boulevard			PERILLA, JASON M	
McLEAN, VA 22102			ART UNIT	PAPER NUMBER
,			2634	

DATE MAILED: 06/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		(1 K				
r	Application No.	Applicant(s)				
	09/700,951	HUTTUNEN, MIKKO				
Office Action Summary	Examiner	Art Unit				
	Jason M. Perilla	2634				
The MAILING DATE of this communic Period for Reply	ation appears on the cover sheet w	th the correspondence address				
A SHORTENED STATUTORY PERIOD FO THE MAILING DATE OF THIS COMMUNIC - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this commu- - If the period for reply specified above is less than thirty (30) - If NO period for reply is specified above, the maximum statu - Failure to reply within the set or extended period for reply w Any reply received by the Office later than three months afte earned patent term adjustment. See 37 CFR 1.704(b).	CATION. f 37 CFR 1.136(a). In no event, however, may a r nication. days, a reply within the statutory minimum of thir utory period will apply and will expire SIX (6) MON rill, by statute, cause the application to become AE	reply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed	l on <i>17 March 2005</i> .					
,_ ,						
3) Since this application is in condition for						
closed in accordance with the practice	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☑ Claim(s) 1,2,4-6 and 8-10 is/are pend 4a) Of the above claim(s) is/are 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 1,2,4-6 and 8-10 is/are reject 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction	e withdrawn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the 10) ☑ The drawing(s) filed on 11 November Applicant may not request that any object Replacement drawing sheet(s) including to 11) ☐ The oath or declaration is objected to	2002 is/are: a)⊠ accepted or b)☐ ion to the drawing(s) be held in abeyar the correction is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority do some as a claim for the priority do some application from the Internation * See the attached detailed Office action	locuments have been received. locuments have been received in A f the priority documents have been al Bureau (PCT Rule 17.2(a)).	Application No received in this National Stage				
Attachment(s)	. □	D (DTO 440)				
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PT 3) Information Disclosure Statement(s) (PTO-1449 or Paper No(s)/Mail Date 3/05 5/05. 	O-948) Paper No(Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152) 				

Application/Control Number: 09/700,951 Page 2

Art Unit: 2634

DETAILED ACTION

1. Claims 1, 2, 4-6, and 8-10 are pending in the instant application.

Information Disclosure Statement

2. The information disclosure statements (IDS) submitted on March 17, 2005 and May 25, 2005 are in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statements are being considered by the examiner.

Response to Amendment/Remarks

- 3. In view of the Applicant's amendments to the claims filed March 17, 2005, the claim objections of the office action dated December 17, 2004 have been withdrawn.
- 4. In the Applicant's remarks (see page 5) filed March 17, 2005, the filing date of the prior art reference Dent et al (US 6567475; hereafter "Dent") is noted as being December 29, 1998 while the priority date of the instant application is May 25, 1998. That is, Dent may not be applied as prior art under 35 U.S.C. §102. However, in the rejections including the primary reference Love et al (US 5363412; hereafter "Love") and Dent, the reference Dent is submitted as evidence of the state of the art and does not provide any direct teaching to the disclosure of Love. In such a circumstance, the date of the prior art reference Dent does not need to antedate that of the instant application (see MPEP § 2124). Because the reference Dent is only used to show the level of ordinary skill in the art or the state of the art at or around the time the invention was made, the date of the reference is Dent is considered to be acceptable. The reference Dent merely serves to clarify that which is already plainly implied by Love and readily understood by one having skill in the art. Love discloses a minimum least

Art Unit: 2634

squared error (quadratic error) or maximum likelihood sequence estimator (MLSE) evaluation between individual sample points and corresponding reference points as applied below. The disclosure of Love, taken alone, at least implicitly discloses (and well enough within the level of one having ordinary skill) the claimed limitation of using quadratic errors as defined by the use of a minimum least squared error estimator. Dent is simply cited as further evidence of the state of the art with respect to MLSE estimators in as much as they utilize quadratic errors between received and reference sample points.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1, 4, 5, and 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Love et al (5363412 IDS Paper No. 5; Ref. BR; hereafter "Love") in view of Dent et al (US 6567475; hereafter "Dent"), and in further view of Wallerius et al (US 6192038; hereafter "Wallerius").

Regarding claim 1, Love discloses a method of detecting an interfering signal in a time division multiple access (TDMA) radio receiver (fig. 2; col. 2, line 22), the method comprising: taking samples from symbol sequences of a received signal over a TDMA timeslot (col. 3, lines 10-18); generating by a modulation detector a signal path or signal value corresponding to the TDMA timeslot or a portion thereof (col. 3, lines 50-52); and

Art Unit: 2634

determining an error estimate representing the erroneousness of the signal path generated (col. 3, lines 50-65). Love discloses a typical, almost notoriously known, receiver of a TDMA transmission. The method of the receiver is shown by figure 3. The signal path is determined by the Viterbi decoder (22), and the channel impulse response or error estimate is determined by the channel predictor and channel estimator (26 & 25, respectively). By this method of reception of the TDMA signal, a minimum least squared error or maximum likelihood sequence estimator (MLSE) evaluation is used to make symbol decisions (col. 2, lines 9-17). Love discloses that the MLSE evaluation determines the error estimate or error signal (e(j-D)) wherein the error estimate representing the erroneousness (or error against expected path) of the signal path is a signal path error metric is at least in part generated by error calculated on the basis of a difference (col. 3, line 60) between individual symbol sequence specific sample points or the current estimated signal (yHD(j-D)) and corresponding reference constellation points or the current estimate of the channel impulse response constructed on the basis of a channel estimate describing a state of a radio channel used (col. 3, lines 50-65). The use of a MLSE estimator to assist in the decision of received symbols is well known by one having skill in the art. Love does not explicitly disclose that quadratic errors are calculated, although the use of a least squared error evaluation implies that a squared error is evaluated. However, as reference to the operation of a MLSE estimator, Dent teaches that the delta metric or error difference "is the magnitude squared of the difference between the received signal sample and the predicted signal sample" (col. 16, lines 14-17). Dent cites that an MLSE estimator uses a squared difference between

a received signal sample and the predicted or estimated constellation points of the current channel estimate (col. 15, line 65 – col. 16, line 35). Therefore, Dent explicitly discloses that, as implied by the definition of any MLSE estimator, a squared or quadratic error is calculated.

Further regarding claim 1, although the method described by Love in view of Dent discloses the generation of an error estimate representing the erroneous of the signal path (fig. 3, "ERROR SIGNAL"), it does not disclose comparing the error estimate representing the erroneous of the signal path with a predetermined threshold value, and recognizing the reception of the interfering signal if the error estimate is greater than the predetermined threshold value. However, Wallerius teaches an analogous receiver method of TDMA signals (col. 2, lines 54-65). Wallerius teaches that the mean squared value of the received signal samples which is a measure of the signal-to-noise ratio is compared to a threshold to determine if a signal should be excluded (col. 14, lines 20-30). The method taught by Wallerius comprises using a predetermined threshold to make a determination of a received signal which should be excluded, and the reception of an interfering signal is analogous to the reception of a signal that is not usable or should be excluded. Therefore, it would have been obvious to one of ordinary skill in the art at the time which the invention was made to use the interfering signal determination as taught by Wallerius in the TDMA reception method disclosed by Love in view of Dent because the determination of an interfering signal would be advantageous to the system so that data which is not usable is discarded.

Regarding claim 4, Love in view of Dent, and in further view of Wallerius disclose the limitations of claim 1 as applied above. Further, Love discloses the method further comprising generating two or more alternative signal paths (fig. 5, refs. 44, 45; col. 2, lines 10-15) from the received timeslot or a portion thereof by two or more parallel modulation detectors preferably of different types (col. 2, lines 10-15), determining an error estimate of each signal path, and selecting the signal path having the best error estimate to be used in the comparison (col. 5, lines 38-43).

Regarding claim 5, Love in view of Dent, and in further view of Wallerius disclose the limitations of the claim as applied to claim 1 above.

Regarding claim 8, Love in view of Dent, and in further view of Wallerius disclose the limitations of claim 5 as applied above. Further, discloses equipment comprising two or more parallel modulation detectors (fig. 5, refs. 44, 45; col. 2, lines 10-15) of different types for generating two or more alternative signal paths from the received timeslot or a portion thereof by two or more parallel modulation detectors preferably of different types (col. 2, lines 10-15), the equipment being arranged to determine an error estimate of each signal path and to select the signal path having the best error estimate to be used in the comparison (col. 5, lines 38-43).

Regarding claims 9 and 10, Love in view of Dent, and in further view of Wallerius disclose the limitations of the claim as applied to claim 1 above.

7. Claims 2, 4, 6, and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Love in view of Dent, in further view of Wallerius, and in further in view of LaRosa et al (5323421 – IDS Paper No. 5; Ref. AR; hereafter "LaRosa").

Regarding claim 2, Love in view of Dent, and in further view of Wallerius disclose the limitations of claim 1 as applied above. Love in view of Dent, and in further view of Wallerius do not disclose the method of claim 1 characterized by using in the comparison an error estimate of a signal path corresponding to a half timeslot. However, LaRosa teaches a TDMA receiver (col. 1, lines 24-27) method that performs a channel quality estimation or finds the channel error estimate (col. 1, lines 50-55). Further, LaRosa teaches that the accuracy of conventional channel error estimates is insufficient because of the limited number of bits within the estimation interval (col. 1, lines 37-47; lines 56-60) and teaches a method wherein the channel estimator uses all bits from entire sub-intervals in the estimate (col. 2, line 65 – col. 3, line 9). LaRosa teaches that by using only the bits of the "sync words", the channel error estimate can be insufficiently accurate (col. 1, lines 50-55). In view of the teachings of LaRosa, it is obvious that the best channel error estimate can be acquired by using as many bits as possible from the receiving signal(s) during the error estimation. Therefore, it would have been obvious to one of ordinary skill in the art at the time which the invention was made to utilize as many bits as possible in the receiving signal for the estimation of the channel error as taught by LaRosa in the TDMA receiver method of Love in view of Dent, and in further view of Wallerius because the channel error estimate would be as accurate as possible. The applicant's explanation of the use of a "half timeslot" worth of bits in the channel error estimate on page 2, line 22 is made as "for example", and does not imply any particular novelty with the exact number (a half timeslot worth) of bits. It would have been obvious for one of ordinary skill in the art to use more bits from a

Art Unit: 2634

TDMA frame for the channel error estimate than those only found in the synchronization word. For example, it would be obvious to one of ordinary skill in the art to use any number of bits between only the number of bits in the sync word to the total number of bits in the TDMA frame, including half the bits, as only limited by the cost and complexity of the receiver system.

Regarding claim 4, Love in view of Dent, in further view of Wallerius, and in further view of LaRosa disclose the limitations of claim 2 as applied above. Further, Love discloses the method further comprising generating two or more alternative signal paths (fig. 5, refs. 44, 45; col. 2, lines 10-15) from the received timeslot or å portion thereof by two or more parallel modulation detectors preferably of different types (col. 2, lines 10-15), determining an error estimate of each signal path, and selecting the signal path having the best error estimate to be used in the comparison (col. 5, lines 38-43).

Regarding claim 6, Love in view of Dent, in further view of Wallerius, and in further view of LaRosa disclose the limitations of the claim as applied to claim 2 above.

Regarding claim 8, Love in view of Dent, in further view of Wallerius, and in further view of LaRosa disclose the limitations of claim 6 as applied above. Further, Love discloses equipment comprising two or more parallel modulation detectors (fig. 5, refs. 44, 45; col. 2, lines 10-15) of different types for generating two or more alternative signal paths from the received timeslot or a portion thereof by two or more parallel modulation detectors preferably of different types (col. 2, lines 10-15), the equipment being arranged to determine an error estimate of each signal path and to select the

signal path having the best error estimate to be used in the comparison (col. 5, lines 38-43).

Page 9

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Perilla whose telephone number is (571) 272-3055. The examiner can normally be reached on M-F 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on (571) 272-3056. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jason M. Perilla June 2, 2005

jmp

CHIEH M. FAN PRIMARY EXAMINER